

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

BCL11A Antibody / B-cell lymphoma/leukemia 11A, Clone: [PCRP-BCL11A-1G10], Mouse, Monoclonal NSJ-V9710-20UG

| | |
|--------------------------|---|
| Artikelname | BCL11A Antibody / B-cell lymphoma/leukemia 11A, Clone: [PCRP-BCL11A-1G10], Mouse, Monoclonal |
| Artikelnummer | NSJ-V9710-20UG |
| Hersteller Artikelnummer | V9710-20UG |
| Alternativnummer | NSJ-V9710-20UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | ELISA, FACS, IF, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human protein was used as the immunogen for the BCL11A antibody. |
| Produktbeschreibung | Bcl-11a (CtIP-1, EVI9, B cell chronic lymphocytic leukemia (CLL)/lymphoma 11A) and Bcl-11b (CtIP-2, RIT1, B cell CLL/lymphoma 11B) genes play crucial roles in lymphopoiesis and influence the progression of hematopoietic malignancies. Disruption of th... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [PCRP-BCL11A-1G10] |
| UniProt | Q9H165 |

| | |
|------------------------|--|
| Reinheit | Protein A/G affinity |
| Formulierung | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Verdünnung | ELISA (order BSA-free format for coating), Western blot: 1-2ug/ml, Flow cytometry: 1-2ug/million cells, Immunofluorescence: 1-2ug/ml |
| Anwendungsbeschreibung | Optimal dilution of the BCL11A antibody should be determined by the researcher. |