

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Rad50 Monoclonal Antibody, Clone: [Clone: ACCG-18], Rabbit BOB-M00347

| | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname | Anti-Rad50 Monoclonal Antibody, Clone: [Clone: ACCG-18], Rabbit |
| Artikelnummer | BOB-M00347 |
| Hersteller Artikelnummer | M00347 |
| Alternativnummer | BOB-M00347-100UL |
| Hersteller | Boster Bio |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | ICC, IF, WB |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | A synthesized peptide derived from human Rad50 Component of the MRN complex, which plays a central role in double-strand break (DSB) repair, DNA recombination, maintenance of telomere integrity and meiosis. The complex possesses single-strand endonucleas |
| Produktbeschreibung | Boster Bio Anti-Rad50 Monoclonal Antibody catalog M00347. Tested in WB, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.... |
| Klonalität | Monoclonal |
| Konzentration | Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure. |
| Klon-Bezeichnung | [Clone: ACCG-18] |

| | |
|------------------------|---------------------------------------------------------------------------------------------------------------------|
| Molekulargewicht | 35 kDa |
| Sensitivitaet | <10pg/ml |
| UniProt | Q92878 |
| Puffer | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA. |
| Reinheit | Affinity-chromatography |
| Formulierung | Liquid |
| Application Verdünnung | WB 1:500-1:2000 ICC/IF 1:50-1:200 |