

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human recombinant IL-17D (Interleukin-17D) protein, AF BOB-PROTQ8TAD2-2

| | |
|--------------------------|---|
| Artikelname | Human recombinant IL-17D (Interleukin-17D) protein, AF |
| Artikelnummer | BOB-PROTQ8TAD2-2 |
| Hersteller Artikelnummer | PROTQ8TAD2-2 |
| Alternativnummer | BOB-PROTQ8TAD2-2-5UG, BOB-PROTQ8TAD2-2-20UG, BOB-PROTQ8TAD2-2-100UG |
| Hersteller | Boster Bio |
| Kategorie | Proteine/Peptide |
| Applikation | Cell Culture |
| Spezies Reaktivität | Human |
| Produktbeschreibung | Interleukin 17D (IL-17D) is a 20.2 kDa member of IL-17 family with 185 amino acid residues. IL-17D is expressed by skeletal muscle, brain, adipose tissue, heart, lung, pancreas and secreted to blood. IL-17D can stimulate the production of cytokines s... |
| Tag | His Tag (N-term) |
| UniProt | Q8TAD2 |
| Quelle | Escherichia coli |
| Reinheit | >98% as determined by SDS-PAGE. |
| Formulierung | The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH 8.0. If you have any concerns or special requirements, please confirm with us. |

Sequenz

APRAGRPARPRGCADRPEELLEQLYGRLAAGVLSAFHHTLQLGPREQARNA
SCPAGGRPADDRFRPPTNLRVSPWAYRISYDPARYPRYLPEAYCLCRGCLTG
LFGEDVRFRSAPVYMPTVVLRRTPACAGGRSVYTEAYVTIPVGCTCVPEPEK
DADSINSSIDKQGAKLLLGPNDAPAGP with polyhistidine tag at the N-
terminus.