

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

AMCA-conjugated AffiniPure(TM) F(ab)₂ Fragment Donkey Anti-Chicken IgY (IgG) (H+L) (min X Bov,Gt,GP,Sy Hms,Hrs,Hu,Ms,Rb,Rat,Shp Sr Prot) JIM-703-156-155

Artikelname	AMCA-conjugated AffiniPure(TM) F(ab) ₂ Fragment Donkey Anti-Chicken IgY (IgG) (H+L) (min X Bov,Gt,GP,Sy Hms,Hrs,Hu,Ms,Rb,Rat,Shp Sr Prot)
Artikelnummer	JIM-703-156-155
Hersteller Artikelnummer	703-156-155
Alternativnummer	JIM-703-156-155
Hersteller	Jackson ImmunoResearch
Wirt	Donkey
Kategorie	Antikörper
Spezies Reaktivität	Chicken
Konjugation	Coumarin AMCA
Klonalität	Polyclonal
Isotyp	F(ab') ₂ Fragment
Puffer	Buffer: 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6. Stabilizer: 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free). Preservative: 0.05% Sodium Azide
Reinheit	The antibody was purified from antisera by a combination of pepsin digestion and immunoaffinity chromatography using antigens coupled to agarose beads. Fc fragments and whole IgG molecules have been removed.

Formulierung	Freeze-dried solid
Lagerung	Storage and Rehydration: Store freeze-dried solid at 2-8°C. Rehydrate with the indicated volume of dH2O and centrifuge if not clear. Prepare working dilution on day of use. Product is stable for about 6 weeks at 2-8°C as an undiluted liquid. Extended...
Antibody Type	Secondary Antibody
Application Verdünnung	_x000D_ 1:50 - 1:200 for most applications_x000D_ _x000D_ Dilution factors are presented in the form of a range because the optimal dilution is a function of many factors, such as antigen density, permeability, etc. The actual dilution used must be...