

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Peroxidase-conjugated AffiniPure(TM) F(ab)<sub>2</sub> Fragment Donkey Anti-Human IgG (H+L) (min X Bov,Ck,Gt,GP,Sy Hms,Hrs,Ms,Rb,Rat,Shp Sr Prot) JIM-709-036-149**

Artikelname	Peroxidase-conjugated AffiniPure(TM) F(ab) <sub>2</sub> Fragment Donkey Anti-Human IgG (H+L) (min X Bov,Ck,Gt,GP,Sy Hms,Hrs,Ms,Rb,Rat,Shp Sr Prot)
Artikelnummer	JIM-709-036-149
Hersteller Artikelnummer	709-036-149
Alternativnummer	JIM-709-036-149
Hersteller	Jackson ImmunoResearch
Wirt	Donkey
Kategorie	Antikörper
Spezies Reaktivität	Human
Konjugation	HRP
Klonalität	Polyclonal
Isotyp	F(ab') <sub>2</sub> Fragment
Puffer	Buffer: 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6. Stabilizer: 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free). Preservative: None (Warning: Use of sodium azide as a preservative will substantially inhibit the enzyme activity of horseradish...
Reinheit	The antibody was purified from antisera by a combination of pepsin digestion and immunoaffinity chromatography using antigens coupled to agarose beads. Fc fragments and whole IgG molecules have been removed.

Formulierung	Freeze-dried solid
Lagerung	Storage and Rehydration: Store freeze-dried solid at 2-8°C. Rehydrate with the indicated volume of dH2O and centrifuge if not clear. Prepare working dilution on day of use. Product is stable for about 6 weeks at 2-8°C as an undiluted liquid. Extended...
Antibody Type	Secondary Antibody
Application Verdünnung	1:500 - 1:5,000 for immunohisto/cytochemistry_x000D_ 1:5,000 - 1:100,000 for ELISA and Western blotting with chromogenic substrates_x000D_ 1:10,000 - 1:200,000 for Western blotting with ECL substrates_x000D_ Dilution factors are presented in the form...