

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Swine anti Human IgE (Fc specific), conjugated with TRITC, Clone: [Polyclonal], Porcine, Monoclonal NMB-SWAHU/IGE(FC)/TRITC

| | |
|--------------------------|--|
| Artikelname | Swine anti Human IgE (Fc specific), conjugated with TRITC, Clone: [Polyclonal], Porcine, Monoclonal |
| Artikelnummer | NMB-SWAHU/IGE(FC)/TRITC |
| Hersteller Artikelnummer | SwAHu/IgE(Fc)/TRITC |
| Alternativnummer | NMB-SWAHU/IGE(FC)/TRITC |
| Hersteller | NordicMubio |
| Wirt | Porcine |
| Kategorie | Antikörper |
| Konjugation | TRITC |
| Produktbeschreibung | The reactivity of the antiserum is directed to the Fc subunit of the IgE molecule which expresses strict isotypic (class) specificity. It does not react with any non-Ig protein in human serum, as tested by immunoelectrophoresis and double radial immu... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| Puffer | TRITC-coupled purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity It is reconstituted by adding 1 ml sterile distilled water, spun do |

| | |
|------------------------|--|
| Quelle | Purified monoclonal IgE isolated from pooled human serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formel | TRITC-coupled purified hyperimmune swine IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity |
| Anwendungsbeschreibung | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. |