

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Cytokeratin 19 Purified, Clone: [A53-B/A2], Monoclonal EXB-11-120-C100

| | |
|--------------------------|---|
| Artikelname | Anti-Cytokeratin 19 Purified, Clone: [A53-B/A2], Monoclonal |
| Artikelnummer | EXB-11-120-C100 |
| Hersteller Artikelnummer | 11-120-C100 |
| Alternativnummer | EXB-11-120-C100 |
| Hersteller | EXBIO |
| Kategorie | Antikörper |
| Applikation | ELISA, FC, ICC, IHC-P, IP, WB |
| Spezies Reaktivität | Human |
| Immunogen | MCF-7 human breast adenocarcinoma cell line |
| Produktbeschreibung | Cytokeratins are a subfamily of intermediate filaments and characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual... |
| Klonalität | Monoclonal |
| Konzentration | 1 mg/ml |
| Klon-Bezeichnung | [A53-B/A2] |
| Isotyp | Mouse IgG2a |
| Puffer | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |

| | |
|------------------------|--|
| Lagerung | 2°C to 8°C |
| Target-Kategorie | Cytokeratin 19 |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Flow cytometry: Recommended dilution: 1-5 µg/ml. Intracellular staining. Immunohistochemistry: Recommended dilution: 5-10 µg/ml. Western blotting: Recommended dilution: 1-2 µg/ml, positive control: MCF-7, BA-17, HT-29 cells. |