

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-alpha-Tubulin Purified, Clone: [TU-01], Monoclonal EXB-11-250-C100

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-alpha-Tubulin Purified, Clone: [TU-01], Monoclonal   |
| Artikelnummer            | EXB-11-250-C100   |
| Hersteller Artikelnummer | 11-250-C100   |
| Alternativnummer         | EXB-11-250-C100   |
| Hersteller               | EXBIO   |
| Kategorie                | Antikörper  |
| Applikation              | FC, ICC, IHC-P, IP, WB  |
| Spezies Reaktivität      | Aves, Human, Invertebrate, Mouse, Paramecium, Plant, Porcine, Yeast   |
| Immunogen                | Fraction of tubulin purified from porcine brain by two cycles of polymerization - depolymerization.   |
| Produktbeschreibung      | The microtubules are intracellular dynamic polymers made up of evolutionarily conserved polymorphic alpha/beta-tubulin heterodimers and a large number of microtubule-associated proteins (MAPs). The microtubules consist of 13 protofilaments and have a... |
| Klonalität               | Monoclonal  |
| Konzentration            | 1 mg/ml   |
| Klon-Bezeichnung         | [TU-01]   |
| Isotyp                   | Mouse IgG1  |
| Puffer                   | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide   |

|                        |  |
|------------------------|--|
| Lagerung               | 2°C to 8°C   |
| Target-Kategorie       | alpha-Tubulin  |
| Antibody Type          | Monoclonal Antibody  |
| Anwendungsbeschreibung | Flow cytometry: Recommended dilution: 1-4 µg/ml, intracellular staining. Western blotting: Recommended dilution: 1-2 µg/ml, reducing conditions. |