

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-Hu CD38 PE-Cy(TM)5, Clone: [HIT2], PE/Cy5, Monoclonal EXB-T8-366-T100

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-Hu CD38 PE-Cy(TM)5, Clone: [HIT2], PE/Cy5, Monoclonal  |
| Artikelnummer            | EXB-T8-366-T100   |
| Hersteller Artikelnummer | T8-366-T100   |
| Alternativnummer         | EXB-T8-366-T100   |
| Hersteller               | EXBIO   |
| Kategorie                | Antikörper  |
| Applikation              | FC  |
| Spezies Reaktivität      | Human   |
| Immunogen                | Human thymocytes in foetus  |
| Konjugation              | PE/Cy5  |
| Produktbeschreibung      | CD38 (NAD <sup>+</sup> glycohydrolase) is a type II transmembrane glycoprotein able to induce activation, proliferation and differentiation of mature lymphocytes and mediate apoptosis of myeloid and lymphoid progenitor cells. Another role of CD38 is provided by ... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [HIT2]  |
| Isotyp                   | Mouse IgG1  |
| Puffer                   | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide   |

|                        |  |
|------------------------|--|
| Lagerung               | 2°C to 8°C   |
| Target-Kategorie       | CD38   |
| Antibody Type          | Monoclonal Antibody  |
| Application Verdünnung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |
| Anwendungsbeschreibung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |