

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-Hu CD28 PerCP-Cy(TM)5.5, Clone: [CD28.2], PerCP/Cy5.5, Monoclonal EXB-T9-577-T100

| | |
|--------------------------|---|
| Artikelname | Anti-Hu CD28 PerCP-Cy(TM)5.5, Clone: [CD28.2], PerCP/Cy5.5, Monoclonal |
| Artikelnummer | EXB-T9-577-T100 |
| Hersteller Artikelnummer | T9-577-T100 |
| Alternativnummer | EXB-T9-577-T100 |
| Hersteller | EXBIO |
| Kategorie | Antikörper |
| Applikation | FC |
| Spezies Reaktivität | Human, Primate |
| Immunogen | DC28.1.3.3 murine T cell hybridoma transfected with human CD28 cDNA |
| Konjugation | PerCP/Cy5.5 |
| Produktbeschreibung | CD28 is the critical T cell costimulatory receptor which provides to the cell the important second activation signal by binding CD80 and CD86 that are expressed by antigen presenting cells. Besides its costimulation role CD28 functions in preventing ... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [CD28.2] |
| Isotyp | Mouse IgG1 kappa |

| | |
|------------------------|--|
| Puffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| Lagerung | 2°C to 8°C |
| Target-Kategorie | CD28 |
| Antibody Type | Monoclonal Antibody |
| Application Verdünnung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |
| Anwendungsbeschreibung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |