

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-Hu CD271 PerCP-Cy(TM)5.5, Clone: [NGFR5], PerCP/Cy5.5, Monoclonal EXB-T9-642-T025**

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-Hu CD271 PerCP-Cy(TM)5.5, Clone: [NGFR5], PerCP/Cy5.5, Monoclonal  |
| Artikelnummer            | EXB-T9-642-T025   |
| Hersteller Artikelnummer | T9-642-T025   |
| Alternativnummer         | EXB-T9-642-T025   |
| Hersteller               | EXBIO   |
| Kategorie                | Antikörper  |
| Applikation              | FC  |
| Spezies Reaktivität      | Rabbit, Feline, ferret, Primate, Human  |
| Immunogen                | Purified CD271 protein isolated from human melanoma cell line A875  |
| Konjugation              | PerCP/Cy5.5   |
| Produktbeschreibung      | CD271 / NGFR, also known as p75NGFR or p75NTR, is a 75 kDa low affinity receptor for the NGF (nerve growth factor), BDNF (brain-derived growth factor), and other neurotrophins, such as NT3 and NT4/5. Unlike other members of the tumor necrosis factor ... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [NGFR5]   |
| Isotyp                   | IgG1  |

|                        |   |
|------------------------|---|
| Puffer                 | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide   |
| Lagerung               | 2°C to 8°C  |
| Antibody Type          | Monoclonal Antibody   |
| Anwendungsbeschreibung | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. Extracellular and intracellular stai |