

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Monoclonal Antibody to SUMO-2(Clone : SUMO2/1199), Clone: [SUMO2/1199], Mouse ABI-36-1688

| | |
|--------------------------|---|
| Artikelname | Monoclonal Antibody to SUMO-2(Clone : SUMO2/1199), Clone: [SUMO2/1199], Mouse |
| Artikelnummer | ABI-36-1688 |
| Hersteller Artikelnummer | 36-1688 |
| Alternativnummer | ABI-36-1688-100UG |
| Hersteller | Abeomics |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FACS, IF, IHC |
| Spezies Reaktivität | Human, Rat |
| Immunogen | Recombinant human SUMO2 protein |
| Produktbeschreibung | The small ubiquitin-related modifier (SUMO) proteins, which include SUMO-1, 2 and 3, belong to the ubiquitin-like protein family. Like ubiquitin, the SUMO proteins are synthesized as precursor proteins that undergo processing before conjugation to ta... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [SUMO2/1199] |
| Isotyp | Mouse IgG1, kappa |
| NCBI | 6612 |

| | |
|------------------------|---|
| UniProt | P55854 |
| Puffer | 100 µg in 500 µl PBS containing 0.05%BSA and 0.05% sodium azide. Sodium azide is highly toxic. |
| Reinheit | Affinity Chromatography |
| Formulierung | Purified |
| Formel | 100 µg in 500 µl PBS containing 0.05%BSA and 0.05% sodium azide. Sodium azide is highly toxic. |
| Target-Kategorie | SUMO-2 |
| Application Verdünnung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min |