

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Mouse Monoclonal Antibody to Cytokeratin 7 (Glandular and Transitional Epithelial Marker)(Clone : rOV-TL12/30), Clone: [rOV-TL12/30] ABI-12-1005

Artikelname	Recombinant Mouse Monoclonal Antibody to Cytokeratin 7 (Glandular and Transitional Epithelial Marker)(Clone : rOV-TL12/30), Clone: [rOV-TL12/30]
Artikelnummer	ABI-12-1005
Hersteller Artikelnummer	12-1005
Alternativnummer	ABI-12-1005-100UG
Hersteller	Abeomics
Kategorie	Antikörper
Applikation	FACS, IHC, WB
Spezies Reaktivität	Human
Immunogen	OTN 11, ovarian carcinoma cell line
Produktbeschreibung	It recognizes an intermediate filament protein (IFP) of 55kDa, which is identified as cytokeratin 7. This MAb is highly specific to cytokeratin 7 and shows no cross-reaction with other IFPs. Cytokeratin 7 is a basic cytokeratin, which is found in mos...
Klonalität	Monoclonal
Klon-Bezeichnung	[rOV-TL12/30]
Isotyp	Mouse IgG1, kappa
NCBI	3855

UniProt	P08729
Puffer	200µg/ml of recombinant MAb purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Reinheit	Purified Ab with BSA and Azide at 200ug/ml
Formulierung	Purified
Formel	200 µg/ml of recombinant MAb purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Target-Kategorie	Cytokeratin 7 (Glandular and Transitional Epithelial Marker)
Application Verdünnung	Western Blot (1-2µg/ml), Flow Cytometry (1-2µg/million cells), Immunohistochemistry (Formalin-fixed) (1-2µg/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95&a