

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-Thyroglobulin (Thyroidal Cell Marker) Recombinant Rabbit Monoclonal Antibody (Clone:TGB/1970R), Clone: [TGB/1970R] ABI-12-1251**

Artikelname	Anti-Thyroglobulin (Thyroidal Cell Marker) Recombinant Rabbit Monoclonal Antibody (Clone:TGB/1970R), Clone: [TGB/1970R]
Artikelnummer	ABI-12-1251
Hersteller Artikelnummer	12-1251
Alternativnummer	ABI-12-1251-100UG
Hersteller	Abeomics
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Human thyroid follicular cells
Produktbeschreibung	Thyroglobulin is a 660kDa dimeric pre-protein with multiple glycosylation sites. It is produced by and processed within the thyroid gland to produce the hormone thyroxine and triiodothyronine. Prior to forming dimers, thyroglobulin monomers undergo co...
Klonalität	Monoclonal
Klon-Bezeichnung	[TGB/1970R]
Isotyp	Rabbit IgG

NCBI	<a href="#">7038</a>
UniProt	<a href="#">P01266</a>
Puffer	200µg/ml of recombinant MAb purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Reinheit	Protein A/G
Formulierung	Purified
Formel	200 µg/ml of recombinant MAb purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Target-Kategorie	TG
Application Verdünnung	Immunohistochemistry (Formalin-fixed) (1-2µg/ml, 30 min at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes),