

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Anti-THIK-2 Antibody, IgG1, Clone: [N468/37], Unconjugated, Mouse, Monoclonal ANI-75-462

| | |
|--------------------------|---|
| Artikelname | Anti-THIK-2 Antibody, IgG1, Clone: [N468/37], Unconjugated, Mouse, Monoclonal |
| Artikelnummer | ANI-75-462 |
| Hersteller Artikelnummer | 75-462 |
| Alternativnummer | ANI-75-462 |
| Hersteller | Antibodies Incorporated |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | ICC, IHC |
| Spezies Reaktivität | Rat and Mouse |
| Immunogen | Fusion protein amino acids 313-408 (cytoplasmic C-terminus) of mouse THIK-2 (accession number Q76M80) produced recombinantly in E. Coli |
| Konjugation | Unconjugated |
| Produktbeschreibung | Potassium two pore domain channel subfamily K member 12 is encoded by the gene KCNK12. KCNK12 is a member of the two pore domain potassium channel (TC 1.A.1.8) family. KCNK12 has not been shown to be a functional channel, however, it may require othe... |
| Klonalität | Monoclonal |
| Konzentration | 1 mg/mL |

| | |
|------------------|---|
| Klon-Bezeichnung | [N468/37] |
| Molekulargewicht | 47 kDa |
| Isotyp | IgG1 |
| UniProt | Q76M80 |
| Puffer | 10 mM Tris, 50 mM Sodium Chloride, 0.065% Sodium Azide pH 7.125 |
| Reinheit | Purified by Protein A chromatography |
| Formulierung | Liquid |
| Target-Kategorie | THIK-2 |
| Antibody Type | Primary Antibody |