

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat Antiserum anti-Human IgG (F(ab)2)-unconj., MinX none, Polyclonal DNA-SEC-182443

| | |
|--------------------------|---|
| Artikelname | Goat Antiserum anti-Human IgG (F(ab)2)-unconj., MinX none, Polyclonal |
| Artikelnummer | DNA-SEC-182443 |
| Hersteller Artikelnummer | SEC-182443 |
| Alternativnummer | DNA-SEC-182443 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | WB, IHC, ELISA |
| Spezies Reaktivität | Human |
| Immunogen | Human IgG F(ab)2 fragment |
| Konjugation | Unconjugated |
| Produktbeschreibung | Anti-Human IgG F(ab)2 Antibody generated in goat recognizes the dimeric Fab portion of the human IgG molecule. Human IgG F(ab)2 is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled ... |
| Klonalität | Polyclonal |
| Konzentration | 30.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-goat serum, Human IgG, Human IgG F(ab)2 and Human Serum. No reaction was observed |
| Formel | 10 mM NaPO4,150 mM NaCl,pH 7,2,lyophilisate,Azide/BSA free |
| Target-Kategorie | Human |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:2,000 - 1:10,000 |
| Anwendungsbeschreibung | Secondary antibody reagents are ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods. |