

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit IgG anti-Cat IgG (H+L)-HRPO, MinX none, Polyclonal DNA-SEC-182502

| | |
|--------------------------|---|
| Artikelname | Rabbit IgG anti-Cat IgG (H+L)-HRPO, MinX none, Polyclonal |
| Artikelnummer | DNA-SEC-182502 |
| Hersteller Artikelnummer | SEC-182502 |
| Alternativnummer | DNA-SEC-182502 |
| Hersteller | dianova |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | WB, IHC, ELISA |
| Spezies Reaktivität | Feline |
| Immunogen | Cat IgG whole molecule |
| Konjugation | HRP |
| Produktbeschreibung | Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu... |
| Klonalität | Polyclonal |
| Konzentration | 10.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|------------------------|--|
| Reinheit | This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by |
| Formel | 10 mM NaPO ₄ , 150 mM NaCl, pH 7,2, lyophilisate, Azide/BSA free |
| Target-Kategorie | Cat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:1,000 - 1:10,000 |
| Anwendungsbeschreibung | Secondary antibody reagents are ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods. |