

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit IgG anti-Goat IgG (Fc)-unconj., MinX none, Polyclonal DNA-SEC-182520

Artikelname	Rabbit IgG anti-Goat IgG (Fc)-unconj., MinX none, Polyclonal
Artikelnummer	DNA-SEC-182520
Hersteller Artikelnummer	SEC-182520
Alternativnummer	DNA-SEC-182520
Hersteller	dianova
Wirt	Rabbit
Kategorie	Antikörper
Applikation	WB, IHC, ELISA
Spezies Reaktivität	Goat
Immunogen	Goat IgG F(c) fragment
Konjugation	Unconjugated
Produktbeschreibung	Anti-Goat IgG F(c) generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of goat IgG and oft...
Klonalität	Polyclonal
Konzentration	10.0 mg/mL
Isotyp	Ig
Puffer	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Reinheit	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by
Formel	10 mM NaPO ₄ , 150 mM NaCl, pH 7,2, lyophilisate, 0,01% NaN ₃
Target-Kategorie	Goat
Antibody Type	Polyclonal Antibody
Application Verdünnung	WB: 1:2,000 - 1:10,000
Anwendungsbeschreibung	Anti-Goat IgG F(c) antibody is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency.