

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit IgG anti-Turkey IgG (H+L)-unconj., MinX none, Polyclonal , Unconjugated DNA-SEC-182634

| | |
|--------------------------|---|
| Artikelname | Rabbit IgG anti-Turkey IgG (H+L)-unconj., MinX none, Polyclonal , Unconjugated |
| Artikelnummer | DNA-SEC-182634 |
| Hersteller Artikelnummer | SEC-182634 |
| Alternativnummer | DNA-SEC-182634 |
| Hersteller | dianova |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | WB, IHC, ELISA |
| Spezies Reaktivität | Aves |
| Immunogen | Turkey IgG whole molecule |
| Konjugation | Unconjugated |
| Produktbeschreibung | Anti-Turkey IgG (H&L) Antibody generated in rabbit detects reactivity to Turkey IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bac... |
| Klonalität | Polyclonal |
| Konzentration | 10.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by |
| Formel | 10 mM NaPO ₄ , 150 mM NaCl, pH 7,2, lyophilisate, 0,01% NaN ₃ |
| Target-Kategorie | Turkey |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | ELISA Dilution: 1:20,000 - 1:100,000, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000 |
| Anwendungsbeschreibung | Anti-Turkey IgG (H&L) Antibody are ideal for ELISA, western blotting, Immunohistochemistry, as well as other antibody detection methods. |