

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat F(ab)2 anti-Horse IgG (H+L)-unconj., MinX none, Polyclonal DNA-SEC-182680

Artikelname	Goat F(ab)2 anti-Horse IgG (H+L)-unconj., MinX none, Polyclonal
Artikelnummer	DNA-SEC-182680
Hersteller Artikelnummer	SEC-182680
Alternativnummer	DNA-SEC-182680
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	WB, IHC, ELISA
Spezies Reaktivität	Equine
Immunogen	Horse IgG whole molecule
Konjugation	Unconjugated
Produktbeschreibung	F(ab)2 Anti-Horse IgG Antibody was generated by enzymatic cleavage and subsequent separation from the Fc fragment. Because of their smaller size, F(ab)2 fragments offer several advantages over intact antibodies for use in certain immunochemical techn...
Klonalität	Polyclonal
Konzentration	10.0 mg/mL
Isotyp	Ig
Puffer	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Reinheit	This product is a F(ab)2 fragment of IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pepsin digestion followed by chromatographic separations
Formel	10 mM NaPO4, 150 mM NaCl, pH 7.2, lyophilisate, Azide/BSA free
Target-Kategorie	Horse
Antibody Type	Polyclonal Antibody
Application Verdünnung	WB: 1:2,000 - 1:10,000
Anwendungsbeschreibung	Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of Fc mediated binding, lot-to-lot consistency, high titer and specificity. The maxi