

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Dog IgG (Fc)-FITC, MinX none, Polyclonal DNA-SEC-182813

Artikelname	Goat IgG anti-Dog IgG (Fc)-FITC, MinX none, Polyclonal
Artikelnummer	DNA-SEC-182813
Hersteller Artikelnummer	SEC-182813
Alternativnummer	DNA-SEC-182813
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	FC, IF, FLISA
Spezies Reaktivität	Canine
Immunogen	Dog IgG F(c) fragment
Konjugation	FITC
Produktbeschreibung	Anti-Dog IgG F(c) generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of dog IgG and often t...
Klonalität	Polyclonal
Konzentration	2.0 mg/mL
Isotyp	Ig
Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single p
Formel	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3
Target-Kategorie	Dog
Antibody Type	Polyclonal Antibody
Application Verdünnung	FLISA 1:10,000 - 1:50,000, FC 1:500 - 1:2,500, IF Microscopy 1:1,000 - 1:5,000
Anwendungsbeschreibung	This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platfor