

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat IgG anti-Dog IgG (Fc)-HRPO, MinX none, Polyclonal DNA-SEC-182815

Artikelname	Goat IgG anti-Dog IgG (Fc)-HRPO, MinX none, Polyclonal
Artikelnummer	DNA-SEC-182815
Hersteller Artikelnummer	SEC-182815
Alternativnummer	DNA-SEC-182815
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	ELISA
Spezies Reaktivität	Canine
Immunogen	Anti-Dog IgG F(c) whole molecule was produced by repeated immunization with Dog IgG F(c) whole molecule in goat.
Konjugation	HRP
Produktbeschreibung	Anti-Dog IgG F(c) whole molecule antibody generated in goat detects specifically Dog IgG F(c) whole molecule. It is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of t...
Klonalität	Polyclonal
Konzentration	2.0 mg/mL
Isotyp	Ig

Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single p
Formel	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin
Target-Kategorie	Dog
Antibody Type	Polyclonal Antibody
Application Verdünnung	ELISA Dilution: 1:10,000 - 1:50,000, Immunohistochemistry Dilution: 1:500 - 1:2,500, Western Blot Dilution: 1:1,000 - 1:10,000
Anwendungsbeschreibung	Anti-Dog IgG F(c) Peroxidase Conjugated Antibody has been tested by ELISA. This secondary antibody anti-Dog is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally imm