

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Dog IgG (H+L)-Biotin, MinX none, Polyclonal DNA-SEC-182818

Artikelname	Goat IgG anti-Dog IgG (H+L)-Biotin, MinX none, Polyclonal
Artikelnummer	DNA-SEC-182818
Hersteller Artikelnummer	SEC-182818
Alternativnummer	DNA-SEC-182818
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	WB, IHC, ELISA
Spezies Reaktivität	Canine
Immunogen	Dog IgG whole molecule
Konjugation	Biotin
Produktbeschreibung	Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu...
Klonalität	Polyclonal
Konzentration	2.0 mg/mL
Isotyp	Ig
Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, Dog IgG and Dog Serum.
Formel	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3
Target-Kategorie	Dog
Antibody Type	Polyclonal Antibody
Application Verdünnung	WB: 1:2,000 - 1:10,000
Anwendungsbeschreibung	This product has been assayed against 1.0 ug of Dog IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin S000-03 and ABTS (2,2-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code ABTS-100 as a substrate for 30 minutes at room t