

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Rabbit IgG anti-Dog IgG (F(ab)2)-Biotin, MinX none, Polyclonal DNA-SEC-182834

|                          |   |
|--------------------------|---|
| Artikelname              | Rabbit IgG anti-Dog IgG (F(ab)2)-Biotin, MinX none, Polyclonal  |
| Artikelnummer            | DNA-SEC-182834  |
| Hersteller Artikelnummer | SEC-182834  |
| Alternativnummer         | DNA-SEC-182834  |
| Hersteller               | dianova   |
| Wirt                     | Rabbit  |
| Kategorie                | Antikörper  |
| Applikation              | WB, IHC, ELISA  |
| Spezies Reaktivität      | Canine  |
| Immunogen                | Dog IgG F(ab)2 fragment   |
| Konjugation              | Biotin  |
| Produktbeschreibung      | Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu... |
| Klonalität               | Polyclonal  |
| Konzentration            | 2.0 mg/mL   |
| Isotyp                   | Ig  |
| Puffer                   | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2  |

|                        |   |
|------------------------|---|
| Reinheit               | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Dog IgG, Dog IgG F(a) |
| Formel                 | 20 mM K <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7,2, lyophilisate, Azide/BSA free  |
| Target-Kategorie       | Dog   |
| Antibody Type          | Polyclonal Antibody   |
| Application Verdünnung | WB: 1:2,000 - 1:10,000  |
| Anwendungsbeschreibung | Secondary antibody reagents are ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods.   |