

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Mouse IgG anti-Goat IgG (H+L)-unconj., MinX none, Polyclonal DNA-SEC-182835

|                          |   |
|--------------------------|---|
| Artikelname              | Mouse IgG anti-Goat IgG (H+L)-unconj., MinX none, Polyclonal  |
| Artikelnummer            | DNA-SEC-182835  |
| Hersteller Artikelnummer | SEC-182835  |
| Alternativnummer         | DNA-SEC-182835  |
| Hersteller               | dianova   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | ELISA   |
| Spezies Reaktivität      | Goat  |
| Immunogen                | Goat IgG whole molecule   |
| Konjugation              | Unconjugated  |
| Produktbeschreibung      | Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level o... |
| Klonalität               | Polyclonal  |
| Konzentration            | 1.0 mg/ml   |
| Isotyp                   | Ig  |
| Puffer                   | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2  |

|                        |  |
|------------------------|--|
| Reinheit               | Goat IgG (H&L) Antibody was prepared from monospecific polyclonal ascites by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis r |
| Formel                 | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3   |
| Target-Kategorie       | Goat   |
| Antibody Type          | Polyclonal Antibody  |
| Application Verdünnung | WB: 1:2,000 - 1:10,000   |
| Anwendungsbeschreibung | Anti-Goat IgG antibody has been tested by ELISA and is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency.   |