

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Donkey IgG anti-Goat IgG (H+L)-RPE, MinX Hm,Rb,Rt,Ck,Ho,Ms, Polyclonal DNA-SEC-182891

|                          |   |
|--------------------------|---|
| Artikelname              | Donkey IgG anti-Goat IgG (H+L)-RPE, MinX Hm,Rb,Rt,Ck,Ho,Ms, Polyclonal  |
| Artikelnummer            | DNA-SEC-182891  |
| Hersteller Artikelnummer | SEC-182891  |
| Alternativnummer         | DNA-SEC-182891  |
| Hersteller               | dianova   |
| Wirt                     | Donkey  |
| Kategorie                | Antikörper  |
| Applikation              | DOT, WB   |
| Spezies Reaktivität      | Goat  |
| Immunogen                | Goat IgG whole molecule   |
| Konjugation              | RPE   |
| Produktbeschreibung      | Goat IgG antibody recognizes IgG heavy and light chains. Anti-Goat IgG Phycoerythrin Antibody generated in donkey detects goat IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunogl... |
| Klonalität               | Polyclonal  |
| Konzentration            | 0.5 mg/mL   |
| Isotyp                   | Ig  |

|                        |  |
|------------------------|--|
| Puffer                 | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
| Reinheit               | Anti-Goat IgG was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formel                 | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3   |
| Target-Kategorie       | Goat   |
| Antibody Type          | Polyclonal Antibody  |
| Application Verdünnung | WB: 1:1,000  |
| Anwendungsbeschreibung | Anti-Goat IgG Phycoerythrin Conjugated antibody has been tested by dot blot and western blot and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background le |