

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Chicken IgG anti-Goat IgG (H+L)-FITC, MinX none, Gallus, Polyclonal DNA-SEC-182893

| | |
|--------------------------|---|
| Artikelname | Chicken IgG anti-Goat IgG (H+L)-FITC, MinX none, Gallus, Polyclonal |
| Artikelnummer | DNA-SEC-182893 |
| Hersteller Artikelnummer | SEC-182893 |
| Alternativnummer | DNA-SEC-182893 |
| Hersteller | dianova |
| Wirt | Gallus |
| Kategorie | Antikörper |
| Applikation | DOT |
| Spezies Reaktivität | Goat |
| Immunogen | Goat IgG whole molecule |
| Konjugation | FITC |
| Produktbeschreibung | Anti-Goat IgG Fluorescein Antibody generated in chicken detects goat IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as w... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target-Kategorie | Goat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | FLISA Dilution: 1:10,000 - 1:50,000, Flow Cytometry Dilution: 1:500 - 1:2,500, Fluorochrome Protein Value: 2.9, IF Microscopy Dilution: 1:1,000 - 1:5,000 |
| Anwendungsbeschreibung | Anti-Goat IgG Fluorescein Antibody has been tested by dot blot. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, in |