

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Horse IgG (Fc)-Alk. Phos., MinX none, ALP, Polyclonal , AP DNA-SEC-182967

Artikelname	Goat IgG anti-Horse IgG (Fc)-Alk. Phos., MinX none, ALP, Polyclonal , AP
Artikelnummer	DNA-SEC-182967
Hersteller Artikelnummer	SEC-182967
Alternativnummer	DNA-SEC-182967
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	ELISA
Spezies Reaktivität	Equine
Immunogen	Horse IgG F(c) fragment
Konjugation	AP
Produktbeschreibung	Anti-Horse IgG F(c) generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of horse IgG and oft...
Klonalität	Polyclonal
Konzentration	1.0 mg/mL
Isotyp	Ig

Puffer	0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0
Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single
Formel	50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,Azide/BSA free
Target-Kategorie	Horse
Antibody Type	Polyclonal Antibody
Application Verdünnung	ELISA Dilution: 1:2,000 - 1:10,000, Immunohistochemistry Dilution: 1:200 - 1:1,000, Western Blot Dilution: 1:500 - 1:2,500
Anwendungsbeschreibung	Anti-Horse IgG F(c) Alkaline Phosphatase conjugate has been tested by ELISA and is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring lot