

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat IgG anti-Horse IgG (F(ab)2)-Alk. Phos., MinX none, ALP, Polyclonal , AP DNA-SEC-182968

Artikelname	Goat IgG anti-Horse IgG (F(ab)2)-Alk. Phos., MinX none, ALP, Polyclonal , AP
Artikelnummer	DNA-SEC-182968
Hersteller Artikelnummer	SEC-182968
Alternativnummer	DNA-SEC-182968
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	ELISA
Spezies Reaktivität	Equine
Immunogen	Horse IgG F(ab)2 fragment
Konjugation	AP
Produktbeschreibung	Anti-Horse IgG F(ab)2 Alkaline Phosphatase Antibody generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab)2 molecules l...
Klonalität	Polyclonal
Konzentration	1.0 mg/mL
Isotyp	Ig

Puffer	0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0
Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single
Formel	50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN3
Target-Kategorie	Horse
Antibody Type	Polyclonal Antibody
Application Verdünnung	ELISA Dilution: 1:2,000 - 1:10,000, Immunohistochemistry Dilution: 1:200 - 1:1,000, Western Blot Dilution: 1:500 - 1:2,500
Anwendungsbeschreibung	Anti-Horse IgG F(ab)2 Alkaline Phosphatase Antibody has been tested by ELISA. This product has been assayed against 1.0 µg of Horse IgG in a standard capture ELISA using pNPP p-nitrophenyl phosphate code NPP-10 as a substrate for 30 minutes at room tem