

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Human IgG (Fc)-FITC, MinX none, Polyclonal DNA-SEC-183013

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Human IgG (Fc)-FITC, MinX none, Polyclonal |
| Artikelnummer | DNA-SEC-183013 |
| Hersteller Artikelnummer | SEC-183013 |
| Alternativnummer | DNA-SEC-183013 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | DOT |
| Spezies Reaktivität | Human |
| Immunogen | Human IgG F(c) fragment |
| Konjugation | FITC |
| Produktbeschreibung | Anti-Human IgG F(c) Fluorescein Conjugated generated in goat detects Human F(c). A proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors ... |
| Klonalität | Polyclonal |
| Konzentration | 2.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|------------------------|--|
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target-Kategorie | Human |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | FLISA Dilution: 1:10,000 - 1:50,000, Flow Cytometry Dilution: 1:500 - 1:2,500, Fluorochrome Protein Value: 2.9, IF Microscopy Dilution: 1:1,000 - 1:5,000 |
| Anwendungsbeschreibung | Anti-Human IgG F(c) Fluorescein Conjugated has been tested by dot blot and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, incl |