

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Human IgG (H+L)-HRPO, MinX Ms, Polyclonal DNA-SEC-183029

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Human IgG (H+L)-HRPO, MinX Ms, Polyclonal |
| Artikelnummer | DNA-SEC-183029 |
| Hersteller Artikelnummer | SEC-183029 |
| Alternativnummer | DNA-SEC-183029 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA, WB |
| Spezies Reaktivität | Human |
| Immunogen | Human IgG whole molecule |
| Konjugation | HRP |
| Produktbeschreibung | Anti-Human IgG (H&L) Peroxidase generated in goat detects human Immunoglobulin G (IgG), both heavy and light chains of the antibody molecule are present. It is a protein complex composed of four peptide chains - two identical heavy chains and two ide... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|------------------------|--|
| Reinheit | Human IgG (H&L) Antibody Peroxidase Conjugated was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoel |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target-Kategorie | Human |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | ELISA Dilution: 1:400,000 - 1:600,000, Immunohistochemistry Dilution: 1:500 - 1:2,500, Western Blot Dilution: 1:2,000 - 1:20,000 |
| Anwendungsbeschreibung | Anti-Human IgG (H&L) Peroxidase Conjugate has been tested by ELISA and western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based |