

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Mouse IgG+IgM (H+L)-Biotin, MinX none, Polyclonal DNA-SEC-183153

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Mouse IgG+IgM (H+L)-Biotin, MinX none, Polyclonal |
| Artikelnummer | DNA-SEC-183153 |
| Hersteller Artikelnummer | SEC-183153 |
| Alternativnummer | DNA-SEC-183153 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA, WB |
| Spezies Reaktivität | Mouse |
| Immunogen | Mouse IgG and IgM whole molecules |
| Konjugation | Biotin |
| Produktbeschreibung | Anti-Mouse IgG + IgM Biotin Antibody generated in Goat detects reactivity to Mouse IgG and IgM. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to v... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|------------------------|---|
| Reinheit | This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formel | 20 mM K ₃ PO ₄ , 150 mM NaCl, pH 7,2, lyophilisate, 0,01% NaN ₃ |
| Target-Kategorie | Mouse |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:2,000 - 1:10,000 |
| Anwendungsbeschreibung | Anti-Mouse IgG + IgM Biotin Antibody has been tested by ELISA and western blot and is ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods. |