

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Mouse IgG (H+L)-unconj., MinX none, Polyclonal , Unconjugated DNA-SEC-183158

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Mouse IgG (H+L)-unconj., MinX none, Polyclonal , Unconjugated |
| Artikelnummer | DNA-SEC-183158 |
| Hersteller Artikelnummer | SEC-183158 |
| Alternativnummer | DNA-SEC-183158 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA, WB |
| Spezies Reaktivität | Mouse |
| Immunogen | Anti-Mouse IgG whole molecule was produced by repeated immunization with Mouse IgG whole molecule in goat. |
| Konjugation | Unconjugated |
| Produktbeschreibung | Anti-Mouse IgG Antibody generated in goat detects reactivity to Mouse IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as ... |
| Klonalität | Polyclonal |
| Konzentration | 2.19 mg/mL |

| | |
|------------------------|--|
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | Secondary Antibody Anti-Mouse IgG (H&L) was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG an |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3 |
| Target-Kategorie | Mouse |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | ELISA Dilution: 1:25,000, FLISA Dilution: User Optimized, Flow Cytometry Dilution: User Optimized, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, IF Microscopy Dilution: User Optimized, Immunoprecipitation Dilution: User Optimized, Western Blot Diluti |
| Anwendungsbeschreibung | Anti-Mouse IgG affinity purified antibody is generated in goat detects specifically Mouse IgG whole molecule. This anti-Mouse IgG secondary antibody has been tested by ELISA and western blot and is ideal for investigators who routinely perform ELISA, San |