

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat IgG anti-Mouse IgG (Fc)-unconj., MinX none, Polyclonal , Unconjugated DNA-SEC-183159

Artikelname	Goat IgG anti-Mouse IgG (Fc)-unconj., MinX none, Polyclonal , Unconjugated
Artikelnummer	DNA-SEC-183159
Hersteller Artikelnummer	SEC-183159
Alternativnummer	DNA-SEC-183159
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	DOT, ELISA, WB
Spezies Reaktivität	Mouse
Immunogen	Anti-Mouse IgG F(c) fragment was produced by repeated immunization with Mouse IgG F(c) fragment in goat.
Konjugation	Unconjugated
Produktbeschreibung	Anti-Mouse IgG F(c) fragment antibody generated in goat detects specifically Mouse IgG F(c) fragment. It is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperatu...
Klonalität	Polyclonal
Konzentration	2.3 mg/mL

Isotyp	Ig
Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG, Mouse IgG F(c) and Mou
Formel	20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3
Target-Kategorie	Mouse
Antibody Type	Polyclonal Antibody
Application Verdünnung	ELISA Dilution: 1:20,000 - 1:50,000, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000
Anwendungsbeschreibung	Anti-Mouse IgG F(c) fragment has been tested by ELISA, dot blot, and wester blot and is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal d