

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Mouse IgM (μ)-HRPO, MinX none, Polyclonal DNA-SEC-183174

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Mouse IgM (μ)-HRPO, MinX none, Polyclonal |
| Artikelnummer | DNA-SEC-183174 |
| Hersteller Artikelnummer | SEC-183174 |
| Alternativnummer | DNA-SEC-183174 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | WB, IHC, ELISA |
| Spezies Reaktivität | Mouse |
| Immunogen | Mouse IgM whole molecule |
| Konjugation | HRP |
| Produktbeschreibung | Anti-Mouse IgM (μ chain) peroxidase conjugated antibody generated in goat detects specifically mouse IgM. Immunoglobulin M is the largest antibody isotype and the first to be secreted against an initial exposure to antigen. IgM is predominantly prod... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|------------------------|--|
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target-Kategorie | Mouse |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | ELISA Dilution: 1:30,000, Immunohistochemistry Dilution: 1:500 - 1:2,000, Western Blot Dilution: 1:1,000 - 1:5,000 |
| Anwendungsbeschreibung | Mouse IgM (mu chain) peroxidase conjugated Antibody is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring extremely |