

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Rabbit IgG (Fc)-unconj., MinX Hu, Polyclonal , Unconjugated DNA-SEC-183355

Artikelname	Goat IgG anti-Rabbit IgG (Fc)-unconj., MinX Hu, Polyclonal , Unconjugated
Artikelnummer	DNA-SEC-183355
Hersteller Artikelnummer	SEC-183355
Alternativnummer	DNA-SEC-183355
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	DOT, ELISA, WB
Spezies Reaktivität	Rabbit
Immunogen	Anti Rabbit IgG F(c) was produced by repeated immunization with rabbit IgG F(c) fragment in goat.
Konjugation	Unconjugated
Produktbeschreibung	Anti-Rabbit IgG F(c) generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of rabbit IgG and o...
Klonalität	Polyclonal
Konzentration	2mg/mL
Isotyp	Ig

Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl
Formel	20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3
Target-Kategorie	Rabbit
Antibody Type	Polyclonal Antibody
Application Verdünnung	ELISA Dilution: 1:20,000 - 1:100,000, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000
Anwendungsbeschreibung	Anti-Rabbit IgG F(c) is tested by immunoelectrophoresis, ELISA, dot blot, and western blot. This product is suitable for use in western-blot, competitive western-blot, and competitive ELISA assays. Specific conditions for reactivity and signal detection