

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Rabbit IgG (F(ab)2)-HRPO, MinX Hu, Polyclonal DNA-SEC-183371

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Rabbit IgG (F(ab)2)-HRPO, MinX Hu, Polyclonal |
| Artikelnummer | DNA-SEC-183371 |
| Hersteller Artikelnummer | SEC-183371 |
| Alternativnummer | DNA-SEC-183371 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA |
| Spezies Reaktivität | Rabbit |
| Immunogen | Anti-Rabbit IgG F(ab)2 fragment was produced by repeated immunization with Rabbit IgG F(ab)2 fragment in goat. |
| Konjugation | HRP |
| Produktbeschreibung | Anti-Rabbit IgG F(ab)2 fragment antibody generated in goat detects specifically Rabbit IgG F(ab)2 fragment. This secondary antibody anti-Rabbit is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, im... |
| Klonalität | Polyclonal |
| Konzentration | 2.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | Anti-RABBIT IgG F(ab)2 (GOAT) Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Se |
| Formel | 10 mM NaPO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target-Kategorie | Rabbit |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:2,000 - 1:20,000 |
| Anwendungsbeschreibung | Anti-Rabbit IgG F(ab)2 fragment has been tested by ELISA and is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optim |