

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Rat IgG (H+L)-RPE, MinX Bo,Ck,Go,Gp,Hm,Ho,Hu,Ms,Rb,Sh, Polyclonal DNA-SEC-183451

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Rat IgG (H+L)-RPE, MinX Bo,Ck,Go,Gp,Hm,Ho,Hu,Ms,Rb,Sh, Polyclonal |
| Artikelnummer | DNA-SEC-183451 |
| Hersteller Artikelnummer | SEC-183451 |
| Alternativnummer | DNA-SEC-183451 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | WB |
| Spezies Reaktivität | Rat |
| Immunogen | Anti-Rat IgG whole molecule was produced by repeated immunization with Rat IgG whole molecule in goat. |
| Konjugation | RPE |
| Produktbeschreibung | Anti-Rat IgG whole molecule antibody generated in goat detects specifically Rat IgG whole molecule. This secondary antibody anti-Rat is ideal for investigators who routinely perform immunomicroscopy and flow cytometry or FACS analysis as well as othe... |
| Klonalität | Polyclonal |
| Konzentration | 0.5 mg/mL |

| | |
|------------------------|--|
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single p |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target-Kategorie | Rat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | FC 1:100 - 1:250, IF Microscopy 1:100 - 1:250 |
| Anwendungsbeschreibung | Anti-Rat IgG Phycoerythrin has been tested by western blot and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated bin |