

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Rat IgM (μ)-Alk. Phos., MinX none, ALP, Polyclonal DNA-SEC-183470

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Rat IgM (μ)-Alk. Phos., MinX none, ALP, Polyclonal |
| Artikelnummer | DNA-SEC-183470 |
| Hersteller Artikelnummer | SEC-183470 |
| Alternativnummer | DNA-SEC-183470 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | DOT, ELISA |
| Spezies Reaktivität | Rat |
| Immunogen | Rat IgM whole molecule |
| Konjugation | ALP |
| Produktbeschreibung | Anti-Rat IgM antibody generated in goat specifically detects rat IgM mu heavy chain. Immunoglobulin M is the largest antibody isotype and the first to be secreted against an initial exposure to antigen. IgM is predominantly produced in the spleen. Fo... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single p |
| Formel | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN3 |
| Target-Kategorie | Rat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:500 - 1:2,500 |
| Anwendungsbeschreibung | Anti-Rat IgM Alkaline Phosphatase antibody has been tested by ELISA and dot blot and is assayed against 1.0 ug of Rat IgM in a standard capture ELISA using pNPP p-nitrophenyl phosphate code NPP-10 as a substrate for 30 minutes at room temperature. A wo |