

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat IgG anti-Rat IgG (H+L)-Biotin, MinX none, Polyclonal DNA-SEC-183486

|                          |   |
|--------------------------|---|
| Artikelname              | Goat IgG anti-Rat IgG (H+L)-Biotin, MinX none, Polyclonal   |
| Artikelnummer            | DNA-SEC-183486  |
| Hersteller Artikelnummer | SEC-183486  |
| Alternativnummer         | DNA-SEC-183486  |
| Hersteller               | dianova   |
| Wirt                     | Goat  |
| Kategorie                | Antikörper  |
| Applikation              | ELISA, WB   |
| Spezies Reaktivität      | Rat   |
| Immunogen                | Rat IgG whole molecule  |
| Konjugation              | Biotin  |
| Produktbeschreibung      | RAT IgG Biotin Conjugated antibody detects rat immunoglobulin G. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fu... |
| Klonalität               | Polyclonal  |
| Konzentration            | 2.0 mg/mL   |
| Isotyp                   | Ig  |
| Puffer                   | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2  |

|                        |  |
|------------------------|--|
| Reinheit               | Anti-RAT IgG Biotin Conjugated antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, R |
| Formel                 | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3   |
| Target-Kategorie       | Rat  |
| Antibody Type          | Polyclonal Antibody  |
| Application Verdünnung | WB: 1:2,000 - 1:10,000   |
| Anwendungsbeschreibung | Anti-RAT IgG Biotin Conjugated antibody has been tested by ELISA and western blot and is suitable for immunoassays where specificity to the Rat immunoglobulin heavy and or light chain regions is desired. Anti-Rat antibody has been assayed against 1.0 µg  |