

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat IgG anti-Swine IgG (H+L)-unconj., MinX none, Polyclonal , Unconjugated DNA-SEC-183578

Artikelname	Goat IgG anti-Swine IgG (H+L)-unconj., MinX none, Polyclonal , Unconjugated
Artikelnummer	DNA-SEC-183578
Hersteller Artikelnummer	SEC-183578
Alternativnummer	DNA-SEC-183578
Hersteller	dianova
Wirt	Goat
Kategorie	Antikörper
Applikation	WB
Spezies Reaktivität	Porcine
Immunogen	Anti-Swine IgG (H&L) was produced by repeated immunization with swine whole IgG molecule in goat.
Konjugation	Unconjugated
Produktbeschreibung	Anti-Swine IgG secondary antibody generated in goat detects specifically swine IgG. This secondary antibody anti-Swine is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassay...
Klonalität	Polyclonal
Konzentration	2.17 mg/mL

Isotyp	Ig
Puffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reinheit	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Swine IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Swine IgG and Swine Serum.
Formel	20 mM K <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7.2, sterile filtered, 0.01% NaN <sub>3</sub>
Target-Kategorie	Swine
Antibody Type	Polyclonal Antibody
Application Verdünnung	ELISA Dilution: 1:20,000 - 1:100,000, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000
Anwendungsbeschreibung	Anti-Swine IgG (H&L) is tested by western blot and is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by th