

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Monkey IgG (H)-unconj., MinX none, Polyclonal DNA-SEC-183604

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Monkey IgG (H)-unconj., MinX none, Polyclonal |
| Artikelnummer | DNA-SEC-183604 |
| Hersteller Artikelnummer | SEC-183604 |
| Alternativnummer | DNA-SEC-183604 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | DOT, ELISA, WB |
| Spezies Reaktivität | Monkey |
| Immunogen | Anti-Monkey IgG (gamma chain) was produced by repeated immunization with monkey IgG gamma heavy chain in goat. |
| Konjugation | Unconjugated |
| Produktbeschreibung | Anti-Monkey IgG (gamma chain) antibody generated in goat detects specifically monkey IgG (gamma chain). This secondary antibody anti-Monkey is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immuno... |
| Klonalität | Polyclonal |
| Konzentration | 1.26 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Monkey IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3 |
| Target-Kategorie | Monkey |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:2,000 - 1:10,000 |
| Anwendungsbeschreibung | Anti-Monkey IgG (gamma chain) has been tested by ELISA, dot blot, and western blot and is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal |