

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti-Ferret IgM (μ)-Alk. Phos., MinX none, ALP, Polyclonal DNA-SEC-183636

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti-Ferret IgM (μ)-Alk. Phos., MinX none, ALP, Polyclonal |
| Artikelnummer | DNA-SEC-183636 |
| Hersteller Artikelnummer | SEC-183636 |
| Alternativnummer | DNA-SEC-183636 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | WB, IHC, ELISA |
| Spezies Reaktivität | Ferret |
| Immunogen | Ferret IgM whole molecule |
| Konjugation | ALP |
| Produktbeschreibung | Anti-Ferret IgM antibody specifically detects ferret IgM. Immunoglobulin M is the largest antibody isotype and the first to be secreted against an initial exposure to antigen. IgM is predominantly produced in the spleen. Formed from covalently linkin... |
| Klonalität | Polyclonal |
| Konzentration | 1.1 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Ferret IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a singl |
| Formel | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN3 |
| Target-Kategorie | Ferret |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:500 - 1:2,500 |
| Anwendungsbeschreibung | Anti-Ferret IgM Alk Phos conjugate is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring lot-to-lot consistency. |