

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat F(ab)2 anti-Human IgG (F(ab)2)-Biotin, MinX Bo,Ho,Ms,Rt, Polyclonal DNA-SEC-183757

| | |
|--------------------------|---|
| Artikelname | Goat F(ab)2 anti-Human IgG (F(ab)2)-Biotin, MinX Bo,Ho,Ms,Rt, Polyclonal |
| Artikelnummer | DNA-SEC-183757 |
| Hersteller Artikelnummer | SEC-183757 |
| Alternativnummer | DNA-SEC-183757 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA |
| Spezies Reaktivität | Human |
| Immunogen | Human IgG F(ab)2 fragment |
| Konjugation | Biotin |
| Produktbeschreibung | F(ab)2 Anti-Human IgG F(ab)2 Biotin Antibody generated in goat detects F(ab)2 from human. Representing approximately 75% of serum immunoglobulins in humans, IgG is the most abundant antibody isotype found in the circulation. IgG molecules are synthes... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|---|
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. As |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target-Kategorie | Human |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:5,000 - 1:40,000 |
| Anwendungsbeschreibung | F(ab)2 Anti-Human IgG F(ab)2 Biotin Antibody has been tested by ELISA and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring lot-to-lot consistency. This product is also suitable |