

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat F(ab)2 anti-Rat IgG (Fc)-unconj., MinX Bo,Ho,Hu, Polyclonal DNA-SEC-183855

| | |
|--------------------------|---|
| Artikelname | Goat F(ab)2 anti-Rat IgG (Fc)-unconj., MinX Bo,Ho,Hu, Polyclonal |
| Artikelnummer | DNA-SEC-183855 |
| Hersteller Artikelnummer | SEC-183855 |
| Alternativnummer | DNA-SEC-183855 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | WB, IHC, ELISA |
| Spezies Reaktivität | Rat |
| Immunogen | Anti-Rat IgG F(c) was produced by repeated immunization with Rat F(c) fragment in goat. |
| Konjugation | Unconjugated |
| Produktbeschreibung | F(ab)2 Anti-Rat IgG F(c) Antibody was generated in goat and detects specifically Rat IgG F(c). Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to ... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reinheit | Anti-Rat F(c) antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separa |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3 |
| Target-Kategorie | Rat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:2,000 - 1:5,000 |
| Anwendungsbeschreibung | F(ab)2 Anti-Rat IgG F(c) Antibody has been tested by SDS=PAGE and is suitable for immunoblotting, western blot, dot blot, ELISA, and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency. |