

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat F(ab)2 anti-Rat IgG (Fc)-Alk. Phos., MinX Bo,Ho,Hu, ALP, Polyclonal DNA-SEC-183864

| | |
|--------------------------|---|
| Artikelname | Goat F(ab)2 anti-Rat IgG (Fc)-Alk. Phos., MinX Bo,Ho,Hu, ALP, Polyclonal |
| Artikelnummer | DNA-SEC-183864 |
| Hersteller Artikelnummer | SEC-183864 |
| Alternativnummer | DNA-SEC-183864 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | ELISA |
| Spezies Reaktivität | Rat |
| Immunogen | Rat IgG F(c) fragment |
| Konjugation | ALP |
| Produktbeschreibung | F(ab)2 Anti-Rat IgG F(c) Alkaline Phosphatase Antibody was generated in goat and detects specifically Rat IgG F(c). Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, considerat... |
| Klonalität | Polyclonal |
| Konzentration | 1.0 mg/mL |
| Isotyp | Ig |

| | |
|------------------------|--|
| Puffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |
| Reinheit | F(ab)2 Anti-Rat IgG F(c) Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatogra |
| Formel | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0.05% NaN3 |
| Target-Kategorie | Rat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | WB: 1:500 - 1:2,500 |
| Anwendungsbeschreibung | F(ab)2 Anti-Rat IgG Alkaline Phosphatase Antibody has been tested by ELISA and is assayed against 1.0 ug of Rat IgG in a standard capture ELISA using pNPP p-nitrophenyl phosphate code NPP-10 as a substrate for 30 minutes at room temperature. A working |