

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat F(ab)2 anti-Rat IgG (Fc)-RPE, MinX Bo,Ho,Hu, Polyclonal DNA-SEC-183871

| | |
|--------------------------|---|
| Artikelname | Goat F(ab)2 anti-Rat IgG (Fc)-RPE, MinX Bo,Ho,Hu, Polyclonal |
| Artikelnummer | DNA-SEC-183871 |
| Hersteller Artikelnummer | SEC-183871 |
| Alternativnummer | DNA-SEC-183871 |
| Hersteller | dianova |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | FC, IF |
| Spezies Reaktivität | Rat |
| Immunogen | Rat IgG F(c) fragment |
| Konjugation | RPE |
| Produktbeschreibung | F(ab)2 Anti-Rat IgG F(c) Phycoerythrin Antibody was generated in goat and detects specifically Rat IgG F(c). Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration mus... |
| Klonalität | Polyclonal |
| Konzentration | 0.5 mg/mL |
| Isotyp | Ig |
| Puffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|------------------------|--|
| Reinheit | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Coup |
| Formel | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target-Kategorie | Rat |
| Antibody Type | Polyclonal Antibody |
| Application Verdünnung | FC 1:100 - 1:250, IF Microscopy 1:100 - 1:250 |
| Anwendungsbeschreibung | F(ab)2 Anti-Rat IgG F(c) Phycoerythrin Antibody has been tested by dot blot and western blot and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background le |