

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hyaluronidase-3 HYAL3 Antibody . Tested in IHC, WB applications. This antibody reacts with Human, Mouse., Unconjugated, Rabbit, Polyclonal NBS-ABB-YGCZO8-100

| Article Name | Anti-Hyaluronidase-3 HYAL3 Antibody . Tested in IHC, WB applications. This antibody reacts with Human, Mouse., Unconjugated, Rabbit, Polyclonal |
|----------------------------|--|
| Biozol Catalog Number | NBS-ABB-YGCZO8-100 |
| Supplier Catalog Number | ABB-YGCZO8-100 |
| Alternative Catalog Number | NBS-ABB-YGCZO8-100 |
| Manufacturer | Nordic BioSite |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human, Mouse |
| Immunogen | A synthetic peptide corresponding to a sequence at the C-terminus of human HYAL3, different from the related rat sequence by three amino acids, and different from the related mouse sequence by one amino acid. |
| Conjugation | Unconjugated |
| Product Description | Anti-Hyaluronidase-3 HYAL3 Antibody . Tested in IHC, WB applications. This antibody reacts with Human, Mouse |
| Clonality | Polyclonal |
| Concentration | 500 ug/ml |

| Molecular Weight | 46501 MW |
|--------------------|---|
| Isotype | IgG |
| Sensitivity | <10pg/ml |
| NCBI | 8372 |
| UniProt | O43820 |
| Buffer | Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3. |
| Source | rabbit |
| Purity | Affinity Purified |
| Form | Lyophilized |
| Target | FES |
| Antibody Type | Primary Antibody |
| Application Dilute | IHC-P 0.5-1ug/ml, WB 0.1-0.5ug/ml |
| Application Notes | Tested Species: In-house tested species with positive results. Predicted Species: Species predicted to be fit for the product based on sequence similarities. By Heat: Boiling the paraffin sections in 10mM citrate buffer, pH6.0, for 20mins is required for |