

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Mouse anti Human CD2 FITC - CD7 PE, FITC/RPE NMB-0027

| | |
|----------------------------|--|
| Article Name | Mouse anti Human CD2 FITC - CD7 PE, FITC/RPE |
| Biozol Catalog Number | NMB-0027 |
| Supplier Catalog Number | 0027 |
| Alternative Catalog Number | NMB-0027 |
| Manufacturer | NordicMubio |
| Host | Mouse |
| Category | Antikörper |
| Application | FC |
| Species Reactivity | Human |
| Immunogen | CD2=Derived from the hybridization of mouse Sp2/0 myeloma cells with spleen cells from BALB/c mice immunized with t lymphocytes activated by mixed lymphocyte culture. CD7=Derived from the hybridization of mouse P3-X63-Ag8.653 myeloma cells with spleen ce |
| Conjugation | FITC/RPE |
| Product Description | Identification of human T cells and subset of NK cells associated with the receptor for sheep erythrocytes rosettes expressing the 45-50,000 M.W. surface antigen. Identification of human T lymphocytes in multiple stages of T cell development, includin... |
| Concentration | Titered for flow cytometry |
| UniProt | P06729 |

| | |
|-------------------|---|
| Buffer | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Purity | Protein A/G Chromatography |
| Formula | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Application Notes | PBMC: Add 10 μ l of MAB/10 ⁶ PBMC in 100 μ l PBS. Mix gently and incubate for 15 minutes at 2 to 8C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 μ l of MAB /100 μ l of whole blood. Mix gent |