

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Mouse anti ICAM-3, Clone: [MA4], Monoclonal NMB-MUB2029P

Article Name	Mouse anti ICAM-3, Clone: [MA4], Monoclonal
Biozol Catalog Number	NMB-MUB2029P
Supplier Catalog Number	MUB2029P
Alternative Catalog Number	NMB-MUB2029P
Manufacturer	NordicMubio
Host	Mouse
Category	Antikörper
Application	ELISA, FC, ICC, IHC-Fr, IP, WB
Species Reactivity	Human
Product Description	Intercellular adhesion molecule 3 (ICAM3) also known as CD50 (Cluster of Differentiation 50), is a type I transmembrane glycoprotein, which normally contain 2-9 immunoglobulin-like C2-type domains, and binds to the leukocyte adhesion LFA-1 protein. T
Clonality	Monoclonal
Clone Designation	[MA4]
Isotype	IgG1 kappa
UniProt	P32942
Buffer	Each vial contains 100 $\mu$ l 1 mg/ml purified monoclonal antibody in PBS containing 0.09% sodium azide.

Source	MA4 is a mouse monoclonal IgG1/k antibody derived by fusion of mouse Ag8.653 cells with spleen cells from a BALB/c mouse immunized with an ICAM-3/HEK transfectant.
Formula	Each vial contains 100 $\mu$ l 1 mg/ml purified monoclonal antibody in PBS containing 0.09% sodium azide.
Application Notes	MA4 is suitable for immunoblotting, immunocytochemistry, immunohistochemistry on frozen tissues and flow cytometry. Optimal antibody dilution should be determined by titration, recommended range is 1:100 - 1:200 for flow cytometry, and for immunohistoche